

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/27/2016  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>155165</b>		(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>R-C</b> <b>07/25/2016</b>	
NAME OF PROVIDER OR SUPPLIER  <b>RIVERVIEW VILLAGE</b>				STREET ADDRESS, CITY, STATE, ZIP CODE <b>586 EASTERN BLVD</b> <b>CLARKSVILLE, IN 47129</b>			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{F 000}	<p><b>INITIAL COMMENTS</b></p> <p>This visit was for the Post Survey Revisit (PSR) to the Investigation of Complaint IN00201251 completed on 6/7/16.</p> <p>This visit was in conjunction with the Post Survey Revisit (PSR) to the PSR of the Investigation of Complaint IN00197965 completed on 4/26/16.</p> <p>This visit was in conjunction with the Post Survey Revisit (PSR) to the Investigation of Complaint IN00202917 completed on 6/28/16.</p> <p>Complaint IN00201251 - Corrected</p> <p>Survey dates: July 24, 25, 2016</p> <p>Facility number: 000082 Provider number: 155168 AIM number: 100289640</p> <p>Census bed type: SNF/NF: 102 Total: 102</p> <p>Census payor type: Medicare: 20 Medicaid: 67 Other: 15 Total: 102</p> <p>Sample: 4</p> <p>Riverview Village was found to be in compliance with 42 CFR 483, Subpart B and 410 IAC 16.2-3.1 in regard to the PSR to the Investigation of Complaint IN00201251.</p>			{F 000}			

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

TITLE

(X6) DATE

Any deficiency statement ending with an asterisk (\*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

DEPARTMENT OF HEALTH AND HUMAN SERVICES  
CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 07/27/2016  
FORM APPROVED  
OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>155165</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____  B. WING _____		(X3) DATE SURVEY COMPLETED  <b>R-C</b> <b>07/25/2016</b>
NAME OF PROVIDER OR SUPPLIER  <b>RIVERVIEW VILLAGE</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>586 EASTERN BLVD</b> <b>CLARKSVILLE, IN 47129</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETION DATE	
{F 000}	Continued From page 1 Quality review completed by #02748 on July 26, 2016.	{F 000}			